

AUTHOR INDEX

Pisum Newsletter Volumes 1-11

We have attempted to help the users of this index by including the names of second, third, or more authors. But if the name listed is not the principal author, then the name is followed, in (), by the actual sequence of authors on the article. For example:

Aravindan, K. V. (Sharma, B., H. C. Bansal and K. V. Aravindan).
Radiosensitivity of certain pea lines. PNL 2:33. 1970.
Thus, Aravindan is the third author of the above article.

Aitken, Y. Maturity type/environment interactions in Pisum sativum.
PNL 3:6-7. 1971.

Ali-khan, S. T. 'Tara' field peas. PNL 11:38. 1979.

Almgard, G. Cultivar distinction by means of isoenzyme technique in Pisum.
PNL 2:9. 1970.

Almgard, G. Variation in esterases, leucine aminopeptidases, and peroxidases of shoots and roots of Pisum. PNL 3:7. 1971.

Almgard, G. A deviating isoenzyme pattern: decisive criterion for the distinction and release of a new Pisum cultivar. PNL 3:8. 1971.1

Almgard, G. and K. Ohlund. Inheritance and location of a biochemical character in Pisum. PNL 2:9. 1970.

Aravindan, K. V. (Sharma, B., H. C. Bansal and K. V. Aravindan). Radiosensitivity of certain pea lines. PNL 2:33. 1970.

Aravindan, K. V. (Sharma, B. and K. V. Aravindan). Inductions of sativoid mutation in Pisum abyssinicum. PNL 3:49. 1971.

Aravindan, K. V. (Sharma, B. and K. V. Aravindan). "Crumpled petal", a new mutation in Pisum sativum causing mechanical sterility. PNL 3:50-51. 1971.

Aravindan, K. V. (Sharma, B. and K. V. Aravindan). Inheritance of the tac gene in Pisum sativum. PNL 4:51. 1972.

Aravindan, K. V. (Sharma, B., K. V. Aravindan, S. K. Tikoo, and K. Kant). Supplementary evidence about the inheritance of the tac gene in Pisum sativum. PNL 4:52. 1972.

Arthur, A. E. (Snoad, B. and A. E. Arthur). Genotype x environment interaction in peas - a preliminary report. PNL 4:47-48. 1973.

- Auld, R. (Slinkard, A. E., G. A. Murray, and R. Auld). The Austrian field pea industry in Idaho. PNL 10:79. 1978.
- Bandel, G. (Gottschalk, W. and G. Bandel). Early flowering fasciated and non-fasciated recombinants in Pisum. PNL 9:6-7. 1977.
- Bansal, H. C. (Sharma, B., H. C. Bansal, and K. V. Aravindan). Radio-sensitivity of certain pea lines. PNL 2:33. 1970.
- Baquar, S. R. Bimitosis in Pisum sativum L. induced by 6-hexachloro-cyclohexane (HCCH). PNL 2:10. 1970.
- Baquar, S. R. X-ray induced gene mutation causing desynapsis in Pisum sativum. PNL 3:8-9. 1971.
- Bereznicki, W. C. and J. B. Reid. A gene controlling esterase production in Pisum. PNL 10:3-4. 1978.
-
- Bissonnette, H. L. (Shehata, M. A., D. W. Davis and H. L. Bissonnette). New technique for evaluating resistance to common root rot of peas caused by Aphanomyces euteiches. PNL 7:54-56. 1975.
- Blixt, S. Gene list with citations. PNL 1:23-60. 1969.
- Blixt, S. The ageotropum mutant. PNL 2:11-12. 1970.
- Blixt, S. Gene symbols in Pisum. PNL 4:62-100. 1972.
- Blixt, S. Literature concerning protein and protein synthethis in peas. PNL 5:71-76. 1973.
- Blixt, S. Influence of genotype and storage conditions on germinability of pea seeds. PNL 6:4-5. 1974.
- Blixt, S. Variation in flowering time in peas in the Weibullsholm collection. PNL 6:6-7. 1974.
- Blixt, S. (Murfet, I. C. and S. Blixt). The gene symbol E. PNI 6:543. 1974.
- Blixt, S. (Przybylska, J., S. Blixt and J. Hurich). Variability of electrophoretic seed protein patterns within the genus Pisum. PNL 7:48-49. 1975.
- Blixt, S. Gene symbols. PNL 8:4. 1976.
- Blixt. S. Testerlines. PNL 8:5-8. 1976.

- Blixt, S. Linkages of the new rms-gene and the gene Fas in chromosome 3. PNL 8:9. 1976.
- Blixt, S. Four-point analyses mifo-s-wb-k in chromosome 2. PNL 8:10-11. 1976.
- Blixt, S. The gene symbols of Pisum. PNL 9 (Supplement):1-60. 1977.
- Blixt, S., G. A. Marx, and I. C. Murfet. Rules for genetic symbols. PNL 9:67-70. 1977.
- Blixt, S., G. A. Marx and I. C. Murfet. Descriptive list of genes for Pisum. PNL 10:80-101. 1978.
- Bobodzhanov, V. A. (Sidorova, K. k. and V. A. Bobodzhanov). Ecological studies of allelic pea mutants. PNL 9:52-33. 1977.
- Chen, R. The correlation of the length/width-indices between leaflets and stipules in Pisum. PNL 2:13. 1970.
- Contin, M. and G. A. Marx. Some genetic and morphological aspects of root growth in peas. PNL 6:8. 1974.
- Contin, M. and G. A. Marx. The natural occurrence of tetrarch roots in peas (Pisum sativum L.). PNL 6:9. 1974.
- Crowden, R. K. A survey of testa pigmentation in the Weibullsholm pea collection. PNL 10:5-8. 1978.
- Crowden, R. K. Testa anthocyanins in Pisum. PNL 11:3. 1979.
- Dalton, P. J. and I. C. Murfet. The effect of gibberellic acid and genotype le la cry on flowering in peas. PNL 7:5-7. 1975.
- Davis, D. W. (Shehata, M. A., D. W. Davis and 11. 1. Bissonnette). New technique for evaluating resistance to common root rot of peas caused by Aphanomyces euteiches. PNL 7:54-56. 1975.
- Detering, R. The starch and amylose content of Pisum mutant 46C and some of its recombinants. PNL 10:9-11. 1978.
- Devreux, M. Regeneration of numerous shoots by in vitro culture of young pea embryos. PNL 2:12. 1970.
- Di Vito, M. (Perrino, M. Di Vito, E. Porceddu, and F. Lamberti). Genetic resistance to Heterodera goettingiana Lieb. in Pisum. PNL 11:30. 1979.
- Dow, K. P. (Matthews, P., and K. P. Dow). Resistance to downy mildew (Peronospora viciae) in Pisum. PNL 3:22-23. 1971.

Dow, K. P. (Matthews, P. and K. P. Dow). Resistance to Fusarium oxysporum f. sp. pisi race 5. PNL 4:27-28. 1972.

Duczmal, K. (Marx, G. A. and K. Duczmal). The Pl₁ gene: its use as an index of seed maturity. PNL 4:32-33. 1972.

Fotedar, R. L. (Kaul, M. L. H. and R. L. Fotedar). Performance of tall and dwarf peas in Kashmir. PNL 10:25-26. 1978.

Garg, R. (Kaul, M. L. H. and R. Garg). Developing protein rich genotypes of garden peas. PNL 10:27-28. 1978.

Garg, R. (Kaul, M. L. H. and R. Garg). Some high yielding mutants of garden pea. PNL 10:28-29. 1978.

Garg, R. (Kaul, M. L. H. and R. Garg). Population performance and genetic parameters of some promising pea lines. PNL 11:15. 1979.

Goldenberg, Jose" B. Yield and green weight of the "fila" mutant. PNL 5:5-6. 1973.

Gottschalk, W. The action of mutant genes on meiotic development. PNL 1:4-5. 1969.

Gottschalk, W. Beneficial mutants in Pisum. PNL 1:5-6. 1969.

Gottschalk, W. The germinating power of old seeds of different pea mutants. PNL 2:14. 1970.

Gottschalk, W. Our present knowledge on the genetic control of microsporogenesis in Pisum. PNL 3:9-10. 1971.

Gottschalk, W. The genetic constitution of the fasciated pea. PNL 3:11-12. 1971.

Gottschalk, W. The improvement of the fasciated pea by cross-breeding methods. PNL 3:12-13. 1971.

Gottschalk, W. Investigations on the compatibility of mutated genes. PNL 3:14-15. 1971.

Gottschalk, W. "Leafless" peas. PNL 4:4-5. 1972.

Gottschalk, W. The penetrance behavior of a Pisum gene causing stem-bifurcation. PNL 4:5-6. 1972.

Gottschalk, W. Sterility and lethality caused by the same gene. PNL 4:6-7. 1972.

- Gottschalk, W. (Muller, H., and W. Gottschalk). The influence of different climatic factors upon the growth of pea mutants. PNL 4:41-42. 1972.
- Gottschalk, W. (Muller, H., and W. Gottschalk). The reaction of pea mutants to different light intensities. PNL 4:43. 1972.
- Gottschalk, W. Two highly pleiotropic genes showing a nearly agreeing action on the plant. PNL 5:6-7. 1973.
- Gottschalk, W. The influence of the genotypic background on the action of the cochleata gene. PNL 5:8-9. 1973.
- Gottschalk, W. Neighboring genes of the Pisum genome with high mutation frequency. PNL 6:10. 1974.
- Gottschalk, W. (Muller, H. P. and W. Gottschalk). Cooperation of mutated genes in protein production. PNL 6:39. 1974.
- Gottschalk, W. Fasciated mutants and recombinants in Pisum. PNL 7:8. 1975.
- Gottschalk, W. The response of a recombinant to virus attack. PNL 7:9. 1975.
- Gottschalk, W. The genetic control of chiasma formation and chiasma j frequency. PNL 7:10. 1975.
- Gottschalk, W. (Hussein, H. A. S. and W. Gottschalk). Actions and interactions of mutant genes on seed protein content of pea recombinants. PNL 7:16-17. 1975.
- Gottschalk, W. The seed production of leaf mutants and recombinants. PNL 8:12-13. 1976.
- Gottschalk, W. Stem fasciation and heterosis in peas. PNL 8:14-15. 1976.
- Gottschalk, W. Improvement of mutants by incorporating other mutated genes into their genomes. PNL 8:16-17. 1976.
- Gottschalk, W. (Hussein, H. A. S. and W. Gottschalk). The genotypic constitution of Blixt's cochleata mutant 5137. PNL 8:26-27. 1976.
- Gottschalk, W. (Klein, H. D. and W. Gottschalk). "Meiosis mutants" in Pisum - our present knowledge. PNL 8:33-34. 1976.
- Gottschalk, W. The seed production of some translocation-homozygotes. PNL 9:3. 1977.
- Gottschalk, W. The seed production of trans location-heterozygous peas. PNL 9:4. 1977.

Gottschalk, W. The number of mutational events per surviving embryo. PNL 9:5. 1977.

Gottschalk, W. Cross-fertilizing peas. PNL 9:6. 1977."

Gottschalk, W. The genetic constitution of bifurcated mutants and recombinants. PNL 10:12. 1978.

Gottschalk, W. The frequency of natural cross fertilizations in different pea mutants. PNL 10:12. 1978.

Gottschalk, W. Seed production of bifurcated genotypes in relation to the penetrance of gene bif. PNL 10:13. 1978.

Gottschalk, W. The influence of the environment on the flowering time of Pisum mutants and recombinants. PNL 10:14. 1978.

Gottschalk, W. A pea mutant showing an increase in fertility in subsequent generations. PNL 10:15. 1978.

Gottschalk, W. Heterozygosity for multiple fasciata alleles causing heterosis? PNL 10:16-17. 1978.

Gottschalk, W. The climatic adaptability of some Pisum mutants. PNL 10:17-18. 1978.

Gottschalk, W. A gene for stem bifurcation with full penetrance. PNL 11:5. 1979.

Gottschalk, W. Effect of genotypic background and environment on the expression of the dgl mutant. PNL 11:5. 1979.

Gottschalk, W. A pea mutant highly susceptible to the fungicide "Maneb". PNL 11:7. 1979.

Gottschalk, W. Yield potential of semi-dwarf and dwarf genotypes. PNL 11:8. 1979.

Gottschalk, W. A Pisum gene preventing transition from the vegetative to the reproductive stage. PNL 11:10. 1979.

Gottschalk, W. and G. Bandel. Early flowering fasciated and non-fasciated recombinants in Pisum. PNL 9:6-7. 1977.

Gottschalk, W. and E. Hasenberg. The physiological capacity of some pea mutants in early developmental stages as related to their seed production. PNL 5:9-10. 1973.

Gottschalk, W. and M. Helmig-Missel. The reaction of different pea mutants to different light intensities. PNL 6:11. 1974.

Gottschalk, W. and C. Hiemke. Seed protein content of Pisum mutants grown under different climatic conditions. PNL 6:12. 1974.

Gottschalk, W. and H. A. S. Hussein. The seed production of some fasciated recombinants. PNL 7:12-13. 1975.

Gottschalk, W. and M. M. Imam. The productivity of some useful Pisum mutants in Germany and Ghana. PNL 6:13. 1974.

Gottschalk, W. and G. Jahr. The pollen tube growth of some Pisum mutants. PNL 5:13-14. 1973.

Gottschalk, W. and M. L. H. Kaul. The cooperation of the cochleata gene with other mutated genes of Pisum genome. PNL 6:14-15~! 1974.

Gottschalk, W. and M. L. H. Kaul. The behavior of Pisum mutants and recombinants grown in two locations, Germany and India. PNL 8:18. 1976.

Gottschalk, W. and H. D. Klein. Bibliography. PNL 2:36-75. 1970.

Gottschalk, W. and H. U. Klein. Bibliography. PNL 5:53-70. 1973.

Gottschalk, W. and O. Konvicka. A partially asynaptic pea mutant. PNL 7:11. 1975.

Gottschalk, W. and S. Kumar. The yielding capacity of some pea mutants in Germany and India. PNL 5:11-12. 1973.

Gottschalk, W. and M. Milutinovic. Trisomies in the offspring of desynaptic mutants. PNL 5:15. 1973.

Gottschalk, W. and M. Milutinovic. Dependence of the penetrance upon genotype and climate. PNL 6:17. 1974.

Gottschalk, W., and H. Muller. The protein yield of some Pisum mutants and recombinants. PNL 4:7-8. 1972.

Gottschalk, W., and H. P. Muller. The protein yield of Pisum mutants and recombinants. PNL 6:15-16. 1974.

Gottschalk, W. and G. Wolff. The relations between seed size and protein content in Pisum mutants. PNL 6:18. 1974.

Gritton, E. T. Linkage relations and test for allelism of the cochleata mutant. PNL 1:7. 1969.

Gritton, E. T. Estimation of heterosis and genetic and environmental variances in peas. PNL 1:7. 1969.

Gritton, E. T. Crosses between Pisum and closely related genera. PNL 1:7. 1969.

- Gritton, E. T. A case of apparent linkage between the gene rb_ for wrinkled seed and St for reduced stipule. PNL 3:15-16. 1971.
- Gritton, E. T. (Hagedorn, D. J. and E. T. Gritton). Inheritance and linkage of resistance to the pea seed borne mosaic virus. PNL 3:16. 1971.
- Gritton, E. T. (Pandey, S. and E. T. Gritton). Variation and inheritance of pea seed protein. PNL 3:36. 1971.
- Gritton, E. T. The effect of genetic resistance to powdery mildew on pea yields. PNL 4:9-10. 1972.
- Gritton, E. T. Yield response to the st, af, and tl genes which modify stipules and leaves in peas. PNL 4:11-12. 1972.
- Gritton, E. T. Some observations on a chlorophyll mutant. PNL 7:12. 1975,
- Grote, I. Investigations on the lysine content of seeds of different mutants and recombinants of Pisum. PNL 7:14-15. 1975.
- Hagedorn, U. J., and E. T. Gritton. Inheritance and linkage of resistance to the pea seed borne mosaic virus. PNL 3:16. 1971.
- Haglund, W. A. Race concept in Fusarium oxysporum f. pisi. PNL 6:20-22. 1974.
- Hamilton, R. I. An immunodiffusion test for detecting pea seed-borne mosaic virus in crude sap of infected pea. PNL 9:8. 1977.
- Hartmann, K. Joint action of recombinant and mutated genes. PNL 10:18-19. 1978.
- Hartmann, K. Simple protein assay for pea. PNL 11:10. 1979.
- Hasenberg, E. (Gottschalk, W. and E. Hasenberg). The physiological capacity of some pea mutants in early developmental stages as related to their seed production. PNL 5:9-10. 1973.
- Hasenberg, E. The alteration of the protein content of Pisum seeds during germination. PNL 6:19. 1974.
- Hasenberg, E. The dry matter content of Pisum seeds during germination. PNL 7:15-16. 1975.
- Hasenberg, E. The change in free glutamic acid content in pea seedling cotyledons during germination. PNL 8:19-20. 1976.
- Hasenberg, E. The change in free arginine in pea seedling cotyledons during germination. PNL 8:21-22. 1976.

Hasenberg, E. The reduction of total dry matter content in pea seedlings during germination. PNL 9:9. 1977.

Helmig-Missel, M. (Gottschalk, W. and M. Helmig-Missel). The reaction of different pea mutants to different light intensities. PNL 6:11. 1974.

Henke, I. Relations between the amount of lysine and methionine and the total protein content of seeds of different genotypes of Pisum. PNL 5:16-17. 1973.

Henke, I. (Muller, H. P. and I. Henke). Comparison between the quantitative determination of amino acids in seed proteins by microbiological methods and by an automatic amino acid analyzer. PNC 5:38. 1973.

Herlt, M. (Ingensiep, H. W., M. Herlt, and I. J. Jacobsen). Call induction in pre-incubated pea embryos under different hormonal conditions. PNL 9:16-17. 1977.

Herlt, M., H. J. Jacobsen, A. Rasche, and H. W. Ingensiep. Quantitative results of a screening experiment for estimating optimal conditions for callus induction in Pisum. PNL 10:20-22. 1978.

Hiemke, C. (Gottschalk, W. and C. Hiemke). Seed protein content of Pisum mutants grown under different climatic conditions. PNL 6:12. 1974.

Hipke, H. Correlation between diameter of plastids and pigment content in some X-ray-induced mutants of Pisum sativum L. PNL 2:15. 1970.

Hole, C. C. Environmental control of the number of flowers per node. PNL 9:10. 1977.

Hurich, J. (Przybylska, J., S. Blixt and J. Hurich). Variability of electrophoretic seed protein patterns within the genus Pisum. PNL 7:48-49. 1975.

Hurich, J., H. Parzysz, and J. Przybylska. Amino acid patterns of albumin and globulin fractions in seeds of wild and primitive forms of Pisum. PNL 9:10-12. 1977.

Hurich, J. (Przybylska, J., J. Hurich and Z. Zimniak-Przybylska). Electrophoretic subunit patterns of seed globulins in different Pisum taxa. PNL 10:66-67. 1978.

Hurich, J. (Przybylska, J., J. Hurich and Z. Zimniak-Przybylska). Variation in electrophoretic patterns of urea-treated legumin fraction in Pisum. PNL 11:31. 1979.

Hussein, H. A. S. (Gottschalk, W. and H. A. S. Hussein). The seed production of some fasciated recombinants. PNL 7:12-13. 1975.

Hussein, H.A.S. Seed protein and yield traits of pea recombinants. PNL 8:23-25. 1976.

Hussein, H.A.S. Protein quantity and quality of new pea recombinants. PNL 9:13-15. 1977.

Hussein, H. A. S. Performance of pea hybrids under Egyptian climatic conditions. PNL 10:23. 1978.

Hussein, H. A. S. and W. Gottschalk. Actions and interactions of mutant genes on seed protein content of pea recombinants. PNL 7:16-17. 1975.

Hussein, H. A. S. and W. Gottschalk. The genotypic constitution of Blixt's cochleata mutant 5137. PNL 8:26-27. 1976.

Imam, M. M. (Gottschalk, W. and M. M. Imam). The productivity of some useful Pisum mutants in Germany and Ghana. PNL 6:13. 1974.

Ingensiep, H. W., M. Herlt, and H. J. Jacobsen. Callus induction in pre-incubated pea embryos under different hormonal conditions. PNL 9:16-17. 1977.

Ingensiep, H. W. (Herlt, M., H. J. Jacobsen, A. Rasche, and H. W. Ingensiep). Quantitative results of a screening experiment for estimating optimal conditions for callus induction in Pisum. PNL 10: 20-22. 1978.

Isbary, G. (Muller, H. P. and G. Isbary). The sugar production of mutants and recombinants and its influence on seed germination. PNL 6:42-43. 1974.

Isbary, G. Sugar content and sugar spectra of pea seeds in two consecutive years. PNL 7:18-19. 1975.

Jacobsen, H. J. Callus induction in pea epicotyls. PNL 8:28. 1976.

Jacobsen, H. J. Physiological induction of stem fasciation in embryos of a non-fasciated genotype. PNL 8:29. 1976.

Jacobsen, H. J. A strong relationship between protein patterns of pea cotyledons and RNase-isozymes. PNL 9:18-19. 1977.

Jacobsen, H. J. (Ingensiep, H. W., M. Herlt, and H. J. Jacobsen). Callus induction in pre-incubated pea embryos under different hormonal conditions. PNL 9:16-17. 1977.

Jacobsen, H. J. (Herlt, M., H. J. Jacobsen, A. Rasche, and H. W. Ingensiep). Quantitative results of a screening experiment for estimating optimal conditions for callus induction in Pisum. PNL 10:20-22. 1978.

Jahr, O. (Gottschalk, W. and G. Jahr). The pollen tube growth of some Pisum mutants. PNL 5:13-14. 1973.

Jakubek, M. F. and J. Przybylska. Further comparative investigations of seed albumins in the genus Pisum. PNL 10:24. 1978.

Jakubek, M. and J. Przybylska. Presence of the high-cystine fraction in the Pisum seed albumins. PNL 11:12. 1979.

Kant, K. (Sharma, B., K. V. Aravindan, S. K. Tikoo, and K. Kant). Supplementary evidence about the inheritance of the tac gene in Pisum sativum. PNL 4:52. 1972.

Kant, K. (Sharma, B. and K. Kant). Inheritance of the Sat mutation induced in Pisum abyssinicum. PNL 5:41. 1973.

Kant, K. (Sharma, B. and K. Kant). Status of the tl^{ee} gene in Pisum sativum. PNL 5:41-42. 1973.

Kant, K. (Sharma, B. and K. Kant). Differential transfer of the tac gene through micro and megasporangia in Pisum sativum. PNL 5:42. 1973.

Kant, K. (Sharma, B. and K. Kant). Inheritance of the tac gene and induction of athyroides mutation in Pisum sativum. PNL 5:43. 1973.

Kant, K. (Sharma, B. and K. Kant). Transmission of lathyroides mutation in Pisum sativum. PNL 5:43-44. 1973.

Kant, K. (Sharma, B. and K. Kant). Inheritance of some newly induced waxless mutations in Pisum sativum. PNL 7:52. 1975.

Kaul, A. K. (Sharma, B. and A. K. Kaul). Variability for protein content created through induced mutations in Pisum sativum. PNL 4:56. 1972.

Kaul, A. K. (Sharma, B., S. K. Tikoo, and A. K. Kaul). Estimation of quantity and quality of proteins in the dry seeds of non-sugar and sugar peas. PNL 4:57-58. 1972.

Kaul, M. L. H. Impact of some mutant genes upon flower anomalies of cochleata mutant of pea. PNL 6:26. 1974.

Kaul, M. L. H. (Gottschalk, W. and M. L. H. Kaul). The cooperation of the cochleata gene with other mutated genes of Pisum genome. PNL 6:14-15. 1974.

- Kaul, M. L. H. (Gottschalk, W. and M. L. H. Kaul). The behavior of Pisum mutants and recombinants grown in two locations, Germany and India. PNL 8:18. 1976.
- Kaul, M. L. H. Performance of 3 early ripening mutants under semi-arid and temperate climates. PNL 9:20-21. 1977.
- Kaul, M. L. H. Agronomic performance and seed protein yield of some pea genotypes. PNL 11:13. 1979.
- Kaul, M. L. H. Reciprocal translocation in pea. PNL 11:17. 1979.
- Kaul, M.L.H. and R. Garg. Developing protein rich genotypes of garden pea. PNL 10:27-28. 1978.
- Kaul, M.L.H. and R. Garg. Some high yielding mutants of garden pea. PNL 10:28-29. 1978.
- Kaul, M. L. H. and R. Garg. Population performance and genetic parameters of some promising pea lines. PNL 11:15. 1979.
- Kaul, M.L.H., V. Kumar, and R. L. Fotedar. Performance of tall and dwarf peas in Kashmir. PNL 10:25-26. 1978.
- Kaul, M. L. H. and N. K. Matta. Location x genotype interaction of high protein lines. PNL 9:22-24. 1977.
- Keuls, M. (Wellensiek, S. J. and M. Keuls). A computer program for localizing mutant characteristics. PNL 3:44-45. 1971.
- Khvostova, V. V. (Sidorova, K. K., V. V. Khvostova and L. P. Uzhintzeva). Induced pea mutants with modified vegetative period. PNL 6:47. 1974.
- Khvostova, V. V. (Pershina, L. A. and V. V. Khvostova). Analysis of the development of two mutants in pea (Pisum sativum L.) with modified stem structure. PNL 8:49. 1976.
- King, C. and A. F. Williams. Hybridisation technique vs. success rate. PNL 11:19. 1979.
- Klein, H. D. The causal basis of asynapsis and desynapsis. PNL 1:7-8. 1969.
- Klein, H. D. Relations between chromosome breakage and crossover. PNL 1:9. 1969.
- Klein, H. D. Univalent position at metaphase I in meiotic mutants of Pisum. PNL 2: 16. 1970.
- Klein, H. 1). Variability in the degree of meiotic anomalies in a mutant of Pisum sativum. PNL 2:17. 1970.

- Klein, H. D. (Gottschalk, W. and H. D. Klein). Bibliography. PNL 2:36-75. 1970.
- Klein, H. D. Meiosis without spindle formation. PNL 3:16-17. 1971.
- Klein, H. D. Supernumerary meiotic divisions. PNL 3:17-18. 1971,
- Klein, H. D. Genetic control of chromosome morphology. PNL 4:12-13. 1972.
- Klein, H. D. Timing anomalies during meiosis. PNL 4:14-15. 1972.
- Klein, H. D. (Quednau, H. D. and H. D. Klein). Statistical analysis of univalent frequency and univalent distribution. PNL 4:44-46. 1972.
- Klein, H. D. Some new male-sterile mutants in Pisum. PNL 5:18. 1973.
- Klein, H. D. Anaphase bridges in meiosis mutants of Pisum. PNL 5:19. 1973.
- Klein, H. D. The karyotypes of Pisum sativum, 'Dippes Gelbe Viktoria', and two translocations involving the satellite chromosomes. PNL 5:20-21. 1973.
- Klein, H. D. (Gottschalk, W. and H. D. Klein). Bibliography. PNL 5:53-70. 1973.
- Klein, H. D. Translocations involving the satellite chromosomes. PNL 6:23. 1974.
- Klein, H. D. Genotypic influence upon type of trisomy in Pisum. PNL 6:24-25. 1974.
- Klein, H. D. Frequency of aneuploids from desynaptic mutant progenies. PNL 6:27. 1974.
- Klein, H. D. Karyotype variation in the offspring of a translocation-heterozygous plant. PNL 7:20-22. 1975.
- Klein, H. D. Some new X-ray induced meiosis mutants in Pisum. PNL 7:23-24. 1975.
- Klein, H. I.). Monotelotrisomics in Pisum. PNL 8:30-31. 1976.
- Klein, H. I.). Primary and secondary trisomy in a single pea plant. PNL 8:31-32. 1976.
- Klein, H. O. and W. Gottschalk. "Meiosis mutants" in Pisum - our present knowledge. PNL 8:33-34. 1976.

- Klein, H. D., and M. Milutinovic. A meiosis mutant with a broad range of anomalies. PNL 4:16. 1972.
- Klein, H. D., and M. Milutinovic. Genetical control of inflorescence and flower formation. PNL 4:17. 1972.
- Klein, H. D., and M. Milutinovic. The influence of environment upon the expressivity of mutated genes. PNL 4:18-19. 1972.
- Klein, H. D., and M. Milutinovic. Alterations of the intensity of gene action during ontogenesis. PNL 4:20-21. 1972.
- Koehler, D. A mutant affecting the size and color of flowers. PNL 8:35. 1976.
- Konvicka, O. (Gottschalk, W. and O. Konvicka). A partially synaptic pea mutant. PNL 7:11. 1975.
- Konzak, C. F. (Muehlbauer, F. J. and C. F. Konzak). A multipiSftllate mutation in Pisum sativum L. PNL 5:33. 1973.
- Krarup, Aage. Constancy of the node of flowering and yield of the first four flowering nodes in six cultivars of peas. PNL 6:28. 1974.
- Krarup, A. Correlations between seed yield and protein in 118 I-'s and 7 cultivars. PNL 9:25. 1977.
- Krarup, A. Use of the seed yield component "pods per plant (x)" as an index of selection in a breeding program. PNL 9:25-26. 1977.
- Kumar, S. (Narsinghami, V. G. and S. Kumar). Mutation studies in pea. PNL 3:34-35. 1971.
- Kumar, S. (Gottschalk, W. and S. Kumar). The yielding capacity of some pea mutants in Germany and India. PNL 5:11-12. 1973.
- Kumar, S. A multibranched dwarf mutant of Pisum. PNL 10:30. 1978.
- Kumar, S. and B. Sharma. Circular stipule and hypertendril led: two new induced mutations of Pisum. PNL 7:24-25. 1975.
- Kumar, V. (Kaul, M. L. H., V. Kumar, and R. L. Fotedar). Performance of tall and dwarf peas in Kashmir. PNL 10:25-26. 1978.
- Lamberti, F. (Perrion, M. Di Vito, E. Porceddu, and Y. Lambert if. Genetic resistance to Heterodera goettingiana Lieb. in Pisum. PNL 11:30. 1979.
- Lamm, R. Contributions to the chromosomal nomenclature of Pisum. PNL 4:22. 1972.

- Lamm, R. New possibilities of identifying the chromosomes of Pisum. PNL 5:22. 1973.
- Lamm, R. Bridges at M₁ of meiosis in Pisum. PNL 5:23-24. 1973.
- Lamm, R. The relationship among some interchange lines in Pisum. PNL 6:29. 1974.
- Lamm, R. L. The mutant 488 in Pisum. PNL 8:36. 1976.
- Lamm, R. L. Approximating two centromere positions. PNL 8:36-37. 1976.
- Lamm, R. L. Location of Gp_— in Pisum. PNL 9:26-27. 1977.
- Lamm, R. L. Transpositions in Pisum. PNL 9:28-29. 1977.
- Lamm, R. L. Further studies of the mutant 488 in Pisum. PNL 10:31-32. 1978.
- Lamm, R. L. Location of Tl-R_— in Pisum. PNL 10:32-33. 1978.
- Lamm, R. L. Location of B_— and St_— in Pisum. PNL 11: 19. 1979.
- Malhotra, R. S. (Singh, K. B. and R. S. Malhotra). Heterosis for grain yield in interspecific crosses of Pisum. PNL 3:41-42. 1971.
- Malmberg, R. L. Regeneration of gene lines of Pisum sativum from callus cultures. PNL 11:21. 1979.
- Marshall, H. H. Further consideration of the genes involved in wrinkled seed in peas. PNL 2:18-19. 1970.
- Marx, G. A. Linkage relations of Af. PNL 1:9-10. 1969.
- Marx, G. A. Two additional genes conditioning wax formation'. i'NL 1:10-11. 1969.
- Marx, G. A. A new seed gene. PNL 1:11-12. 1969.
- Marx, G. A. More on the linkage relations of the cochleata mutant. I'NL 1:20-21. 1969.
- Marx, G. A. An apparent case of pleiotropism involving chlorophyll and anthocyanin development. PNL 2:19. 1970.
- Marx, G. A. New linkage relations for chromosome 3 of Pisurn. PNL 3:18-19. 1971.
- Marx, G. A. New linkage relations for chromosome 5 of Pisum. I'NL 3:20. 1971.

- Marx, G. A. An apparent new gene conditioning wax formation. PNL 3:20-21. 1971.
- Marx, G. A. Simultaneous flowering in peas: a character of possible value in breeding. PNL 4:28-29. 1972.
- Marx, G. A. Additional linkage data for chromosomes 3 and 5 of Pisum. PNL 4:30-31. 1972.
- Marx, G. A. A new gene in Pisum affecting the contour of the pod. PNL 5:25-26. 1973.
- Marx, G. A. Segregation and linkage of a new chlorina mutant, ch 4. PNL 5:27. 1973.
- Marx, G. A. The spontaneous occurrence of a lethal seedling mutant. PNL 5:28. 1973.
- Marx, G. A. Instability in flowering behavior associated with inbreeding. PNL 5:29-30. 1973.
- Marx, G. A. Pollen morphology of the wex mutant. PNL 5:31-32. 1973.
- Marx, G. A. Improved estimates of linkage intensity for markers on chromosomes 3 and 5 of Pisum. PNL 6:30-31. 1974.
- Marx, G. A. Internode length genetics. PNL 6:32-34. 1974.
- Marx, G. A. A P.I. accession showing sensitivity to photoperiod. PNL 6:35. 1974.
- Marx, G. A. (Contin, M. and G. A. Marx). Some genetic and morphological aspects of root growth in peas. PNL 6:8. 1974.
- Marx, G. A. (Contin, M. and G. A. Marx). The natural occurrence of tetrarch roots in peas (Pisum sativum L.). PNL 6:9. 1974.
- Marx, G. A. Photo-dependent responses in Pisum: Impenetrant K-type segregants and evidence of a polygene system. PNL 7:26-27. 1975.
- Marx, G. A. New evidence concerning the genetics of flower color. PNL 7:28-29. 1975.
- Marx, G. A. The Le_ locus: Its influence on flowering time. PNL 7:30-31. 1975.
- Marx, G. A. A new gene controlling wax distribution in Pisum. PNL 8: 37-38. 1976.
- Marx, G. A. Relationship of mutants mare and red. PNL 8:39. 1976.

Marx, G. A. "Wilty": a new gene of Pisum. PNL 8:40-41. 1976.

Marx, G. A. (Murfet, I. C. and G. A. Marx). Flowering in Pisum: Comparison of the Geneva and Hobart systems of phenotypic classification. PNL 8:46-48. 1976.

Marx, G. A. Yp-2: A second gene for pollen color in Pisum. PNL 9:29-30. 1977.

Marx, G. A. The non-identity of si_l_ and un. PNL 9:31-34. 1977.

Marx, G. A. (Blixt, S., G. A. Marx, and I. C. Murfet). Rules for genetic symbols. PNL 9:67-70. 1977.

Marx, G. A. Argenteum: A mutant under nuclear and extranuclear control. PNL 10:34-37. 1978.

Marx, G. A. Heritable seed disorders associated with two different flower color inhibitor genes. PNL 10:38-40. 1978.

Marx, G. A. Map positions of La and Crv. PNL 10:41-42. 1978.

Marx, G. A. Internode length differences associated with differences in flowering response. PNL 10:43-45. 1978.

Marx, G. A. Linkage relations of gene dp_. PNL 10:46. 1978.

Marx, G. A. (Blixt, S., G. A. Marx, and I. C. Murfet). Descriptive list of genes for Pisum. PNL 10:80-101. 1978.

Marx, G. A. 'Knight' garden pea. PNL 11:38. 1979.

Marx, G. A. and K. Duczmal. The Pl_ gene: its use as an index of seed maturity. PNL 4:32-33. 1972.

Marx, G. A. and W. Mishanec. An unusual gene interaction involving the Coch and St_ loci. PNL 2:20. 1970.

Marx, G. A. and C. Nozzolillo. An association between the presence or absence of basal stem anthocyanin and alleles at the p_ locus in Pisum. PNL 11:25. 1979.

Marx, G. A. and R. Provvidenti. Linkage relations of mo. PNL 11:28. 1979.

Matta, N. K. (Kaul, M. L. H. and N. K. Matta). Location x genotype interaction of high protein lines. PNL 9:22-24. 1977.

Matthews, P. Segregational rogues. PNL 4:22-24. 1972.

Matthews, P. Variability in a collection of primitive cultivars from Ethiopia. PNL 4:25-27. 1972.

Matthews, P. and K. P. Dow. Resistance to downy mildew (Peronospora viciae) in Pisum. PNL 3:22-23. 1971.

Matthews, P. and K. P. Dow. Resistance to Fusarium oxysporum f. sp. pisi Race 5. PNL 4:27-28. 1972.

Matthews, P. and B. Snoad. A new allele at the D-locus. PNL 1:12-13. 1969.

Mikolajczyk, J. (Przybylska, J., J. Mikolajczyk, and Z. Zimniak-Przybylska). Inheritance of electrophoretic protein patterns in Pisum sativum. PNL 5:39. 1973.

Milutinovic, M. Reduction of fertility through reciprocal translocation. PNL 2:26-27. 1970.

Milutinovic, M. The correlation between the number of translocations and fertility of translocation heterozygous plants. PNL 3:24-25. 1971.

Milutinovic, V. Heterosis caused by the fasciated pea. PNL 3:25-27, 1971.

Milutinovic, V. A comparative study on photosynthetic activities in pea mutants and their hybrids. PNL 4:34-35. 1972.

Milutinovic, M. (Klein, H. 1). and M. Milutinovic). A meiosis mutant with a broad range of anomalies. PNL 4:16. 1972.

Milutinovic, M. (Klein, H. L.). and M. Milutinovic). Genetical control of inflorescence and flower formation. PNL 4:17. 1972.

Milutinovic, M. (Klein, H. D. and M. Milutinovic). The influence of environment upon the expressivity of mutated genes. PNL 4:18-19. 1972.

Milutinovic, M. (Klein, H. D. and M. Milutinovic). Alterations of the intensity of gene action during ontogenesis. PNL 4:20-21. 1972.

Milutinovic, M. (Gottschalk, W. and M. Milutinovic). Trisomies in the offspring of desynaptic mutants. PNL 5:15. 1973.

Milutinovic, M. (Gottschalk, W. and M. Milutinovic). Dependence of the penetrance upon genotype and climate. PNL 6:17. 1974.

- Mishanec, W. (Marx, G. A. and W. Mishanec). An unusual gene interaction involving the Coch and St loci. PNL 2:20. 1970.
- Monti, L. M. Genetic effects of X-ray treatment of pea seeds and pollen. PNL 1:14. 1969.
- Monti, L. M. Data on linkage among known marker genes in Pisum. PNL 1:16. 1969.
- Monti, L. M. (Saccardo, F. and L. M. Monti). Isolation of trisomic plants in peas. PNL 1:18-19. 1969.
- Monti, L. M. The Filiformis leaf mutant of peas. PNL 2:21. 1970.
- Monti, L. M. Linkage studies on four induced mutants of peas. PNL 2:21-2 1970.
- Monti, L. M. (Saccardo, F. and L. M. Monti). Segregation analysis of variegated pea mutants with dicentric chromosomes. PNL 2:30. 1970.
- Monti, L. M. Genome-cytoplasmic interactions in Pisum species. PNL 3:28. 1971.
- Monti, L. M. (Saccardo, F. and L. M. Monti). Studies on the induction of dicentric chromosomes in peas. PNL 3:40-41. 1971.
- Monti, L. M. Increased recombination frequency in chromosome 2 of peas after chronic radiation treatment of **F**. plants. PNL 4:36. 1972.
- Monti, L. M. (Saccardo, F. and L. M. Monti). Genetical and cytogenetical studies of a partial pea trisomic. PNL 5:40. 1973.
- Monti, L. M. and F. Saccardo. "Mosaic leaf" mutants in pea and their mixochimeric structure. PNL 1:15. 1969.
- Monti, L. M. and F. Saccardo. Ovula-pistilloida (op): a mutation without sporogenous tissue induced in pea. PNL 3:28. 1971.
- Monti, L. M. and G. T. Scarascia-Mugnozza. The use of some induced and spontaneous traits of agronomic value in pea breeding. PNL 1:16-17. 1969.
- Muehlbauer, F. J. and C. F. Konzak. A multipistil late mutation in Pisum sativum L. PNL 5:33. 1973.
- Muehlbauer, F. J. and G. R. Pesho. Host plant resistance to the pea seed weevil. PNL 7:33-34. 1975.
- Muehlbauer, F. J. and C. Sanders. Mutagenic effects of sodium azide on peas. PNL 7:32-33. 1975.

- Miiller, D. Photosynthetic activities of some Pisum mutants cultivated at high and low light intensities. PNL 4:37-38. 1972.
- Miiller, D. Assimilation numbers in chlorophyll deficient Pisum-mutants. PNL 4:39-40. 1972.
- Miiller, D. Pollen fertility and seed production of some heterozygous interchanges in pea. PNL 6:36-37. 1974.
- Miiller, D. A sterile homozygous chromosomal interchange mutant in Pisum sativum. PNL 6:38. 1974.
- Miiller, D. Meiotic analysis of an inversion heterozygote in Pisum sativum. PNL 7:34-35. 1975.
- Miiller, D. Variation in pigment content of some Pisum mutants under different light intensities. PNL 7:36. 1975.
- Miiller, H. P. Genes controlling growth and enzyme activity in Pisum. PNL 1:17-18. 1969.
- Miiller, H. P. Comparative electrophoretic studies of the seed proteins of pea mutants. PNL 2:22-23. 1970.
- Miiller, H. P. Chlorophyll- and carotenoid-content and catalase activity in pea mutants. PNL 2:24. 1970.
- Miiller, H. P. Enzyme activities in F¹ hybrids of pea mutants with different internode lengths. PNL 2:25. 1970.
- Miiller, H. P. Chlorophyll concentration, photosynthetic activity, and content of soluble leaf proteins in chlorophyll mutants of pea. PNL 2:26. 1970.
- Miiller, H. P. Effects of gibberellic acid on the biosynthesis of leaf pigments in chlorophyll mutants of Pisum. PNL 3:29. 1971.
- Miiller, H. P. Quantitative changes in the activities of peroxidase and catalase after application of gibberellic acid in some mutants of Pisum. PNL 3:30-31. 1971.
- Miiller, H. P. Gibberellic acid-induced changes in peroxidase isozyme patterns in some pea mutants. PNL 3:31-32. 1971.
- Miiller, H. P. Peroxidase isozyme patterns in some heterozygotes from crosses between pea mutants and their initial line. PNL 3:32-34. 1971.
- Miiller, H. (Gottschalk, W. and H. Miiller). The protein yield of some Pisum mutants and recombinants. PNL 4:7-8. 1972.

- Muller, H. P. The effect of gibberellic acid on growth and protein content in stems of different pea mutants after X-irradiation. PNL 5:33-35. 1973.
- Muller, II. P. Comparison of the amino acid composition of seed proteins with a "standard protein". PNL 5:35-36. 1973.
- Muller, II. P. Content in globulins, albumins, and essential amino acids in seeds of pea mutants and recombinants. PNL 5:37-38. 1973.
- Muller, II. P. Fractionation of the globulins of pea seeds. PNL 6:39-40. 1974.
- Muller, II. P. Distribution of the globulin and albumin fractions within the seeds of pea mutants. PNL 6:41. 1974.
- Muller, II. P. (Gottschalk, W. and H. P. Muller). The protein yield of Pisum mutants and recombinants. PNL 6:15-16. 1974.
- Muller, II. P. Relations between seed production and the number of root nodules in pea mutants. PNL 7:37. 1975.
- Muller, II. P. The reaction of two pea genotypes to different climatic conditions. PNL 7:38. 1975.
- Muller, H. P. Incorporation of different protein fractions in pea seeds during seed ripening. PNL 7:39. 1975.
- Muller, II. P. Changes in protein patterns of the albumin fraction in seeds during ripening. PNL 7:40. 1975.
- Muller, II. P. The analysis of isozymes in seeds of different pea genotypes. PNL 8:42-43. 1976.
- Muller, U. P. Isozyme patterns and environmental factors. PNL 8:44. 1976.
- Muller, H. P. Seed protein content of healthy and heavily virus-infected pea genotypes. PNL 8:45. 1976.
- Muller, H. P. Some factors affecting seed protein content and protein yield in pea genotypes. PNL 9:35-37. 1977.
- Muller, II. P. Some aspects concerning the globulin structure of leguminous seeds. PNL 10:47. 1978.
- Muller, H. and W. Gottschalk. The influence of different climatic factors upon the growth of pea mutants. PNL 4:41-42. 1972.
- Muller, H. and W. Gottschalk. The reaction of pea mutants to different light intensities. PNL 4:43. 1972.
- Muller, II. P. and W. Gottschalk. Cooperation of mutated genes in protein production. PNL 6:39. 1974.

- Muller, H. P. and I. Henke. Comparison between the quantitative determination of amino acids in seed proteins by microbiological methods and by an automatic amino acid analyzer. PNL 5:38. 1973.
- Muller, H. P. and G. Isbary. The sugar production of mutants and recombinants and its influence on seed germination. PNL 6:42-43. 1974.
- Murfet, I. C. (Reid, J. B. and I. C. Murfet). Effect of seed weight on flowering. PNL 6:44-45. 1974.
- Murfet, I. C. (Statham, C. M. and I. C. Murfet). Inheritance of flavone production in Pisum flowers. PNL 6:49. 1974.
- Murfet, I. C. (Wall, B., J. B. Reid, and I. C. Murfet). Differential response to cotyledon removal and vernalization in early varieties. PNL 6:50-51. 1974.
- Murfet, I. C. (Statham, C. M. and I. C. Murfet). The flower color pale lilac. PNL 6:51. 1974.
- Murfet, I. C. The non-equivalence of Hoshino's Jj and gene E for early flowering. PNL 7:41. 1975.
- Murfet, I. C. An obvious E/e segregation in long days. PNL 7:41-42. 1975.
- Murfet, I. C. The effect of Hr on flowering time, senescence and yield. PNL 7:42-43. 1975.
- Murfet, I. C. The effect of Sn on the expression of a gene controlling internode length. PNL 7:44-45. 1975.
- Murfet, I. C. (Dalton, P. J. and I. C. Murfet). The effect of gibberellic acid and genotype. PNL 7:5-7. 1975.
- Murfet, I. C. (Reid, J. G. and I. C. Murfet). Comparison of several early flowering varieties of Pisum. PNL 7:47-48. 1975.
- Murfet, I. C. (Reid, J. B. and I. C. Murfet). Flowering in Pisum: quantitative variation within line 53. PNL 8:50-52. 1976.
- Murfet, I. C. The relative positions of loci e, p, and pj in linkage group 6 of Pisum. PNL 9:38. 1977.
- Murfet, I. C. (Blixt, S., G. A. Marx, and I. C. Murfet). Rules for genetic symbols. PNL 9:67-70. 1977.
- Murfet, I. C. The flowering genes Lf, E, Sn and Hr in Pisum: Their relationship with other genes, and their descriptions and type lines. PNL 10:48-52. 1978.

Murfet, I. C. Pal revisited? PNL 10:53-54. 1978.

Murfet, I. C. Interaction of the internode length genes Le -1 e and N'a-na. PNL 10:54-55. 1978.

Murfet, I.C. A summary of linkage tests for the Sn gene in Pisum. PNL 10:56. 1978.

Murfet, I. C. The influence of root rot and root environment on flowering in peas. PNL 10:57-58. 1978.

Murfet, I. C. The flowering phenotype of genotypes Lf E_ sn_ hr, W' e sn Hr and Lf E sn Hr. PNL 10:59-62. 1978.

Murfet, I. C. (Reid, J. B. and I. C. Murfet). The flowering node of lateral branches in peas. PNL 10:72-74. 1978.

Murfet, I. C. (Yates, H. and I. C. Murfet). The minimum flowering node for gene Lf^a. PNL 10:78. 1978.

Murfet, I. C. (Blixt, S., G. A. Marx, and I. C. Murfet). Descriptive list of genes for Pisum. PNL 10:80-101. 1978.

Murfet, I. C. and S. Blixt. The gene symbol E. PNL 6:43. 1974.

Murfet, I. C. and G. A. Marx. Flowering in Pisum: Comparison of the Genev; and Hobart systems of phenotypic classification. PNL 8:46-48. 1970.

Murray, G. A. (Slinkard, A. E., G. A. Murray and R. Auld). The Austrian winter field pea industry in Idaho. PNL 10:79. 1978.

Narsinghani, V. G., and S. Kumar. Mutation studies in pea. PNL 3:34-55. 1971.

Nozzolillo, C. Anthocyanin pigmentation in pea seedling stems. PNL 9: 39-41. 1977.

Nozzolillo, C. The effect of anthocyanin pigmentation of pea seedling stems. PNL 9:42-44. 1977.

Nozzolillo, C. Genetic constitution and imbibition by pea seeds. PNL 9:45-47. 1977.

Nozzolillo, C. Genetic control of anthocyanin pigmentation in pea seedlings PNL 10:63. 1978.

Nozzolillo, C. Correlation of seed-coat discoloration with germinability in peas. PNL 10:64-65. 1978.

Nozzolillo, C. On the relationship of anthocyanin pigmentation and stem length in pea seedlings. PNL 11:23. 1979.

Nozzolillo, C. (Marx, G. A. and C. Nozzolillo). An association between the presence or absence of basal stem anthocyanin and alleles at the D locus in Pisum. PNL 11:25. 1979.

o

Ohlund, K. (Almgard, G. and K. Ohlund). Inheritance and location of a biochemical character in Pisum. PNL 2:9. 1970.

Pandey, S. and E. T. Gritton. Variation and inheritance of pea seed protein. PNL 3:36. 1971.

Pandey, S. and E. T. Gritton. Selection for protein concentration and seed yield. PNL 7:46. 1975.

Parzysz, H. (Hurich, J., H. Parzysz, and J. Przybylska). Amino acid patterns of albumin and globulin fractions in seeds of wild and primitive forms of Pisum. PNL 9:10-12. 1977.

Perrino, M. Di Vito, E. Porceddu, and F. Lamberti. Genetic resistance to Heterodera goettingiana Lieb. in Pisum. PNL 11:30. 1979.

Pershina, L. A. and V. V. Khvostova. Analysis of the development of two mutants in pea (Pisum sativum L.) with modified stem structure. PNL 8:49. 1976.

Pesho, G. R. (Muehlbauer, F. J. and G. R. Pesho). Host plant resistance to the pea seed weevil. PNL 7:33-34. 1975.

Porceddu, E. (Perrino, M. Di Vito, E. Porceddu, and F. Lamberti). Genetic resistance to Heterodera goettingiana Lieb. in Pisum. PNL 11:30. 1979.

Provvidenti, R. (Marx, G. A. and R. Provvidenti). Linkage relations of mo. PNL 11:28. 1979.

Przybylska, J. (Zimniak-Przybylska, S. and J. Przybylska). Relationship between electrophoretic protein patterns and zymograms of some enzymes in Pisum. PNL 6:55. 1974.

Przybylska, J. (Zimniak-Przybylska, Z. and J. Przybylska). Variability of electrophoretic patterns of seed amylases within the genus Pisum: a relationship between protein patterns and amylase zymograms. PNL 7:50. 1975.

Przybylska, J. (Zimniak-Przybylska, Z. and J. Przybylska). Interference of Pisum seed albumins with detecting amylase activity on electropherograms: an apparent relationship between protein patterns and amylase zymograms. PNL 8:59. 1976.

- Przybylska, J. (Hurich, J., H. Parzysz, and J. Przybylska). Amino acid patterns of albumin and globulin fractions in seeds of wild and primitive forms of Pisum. PNL 9:10-12. 1977.
- Przybylska, J. (Jakubek, M. F. and J. Przybylska). Further comparative investigations of seed albumins in the genus Pisum. PNL 10:24. 1978.
- Przybylska, J. (Jakubek, M. and J. Przybylska). Presence of the high-cystine fraction in the Pisum seed albumins. PNL 11:12. 1979.
- Przybylska, J., S. Blixt, and J. Hurich. Variability of electrophoretic seed protein patterns within the genus Pisum. PNL 7:48-49. 1975.
- Przybylska, J., J. Hurich and Z. Zimniak-Przybylska. Electrophoretic subunit patterns of seed globulins in different Pisum taxa. PNL 10:66-67. 1978.
- Przybylska, J., J. Hurich and Z. Zimniak-Przybylska. Variation in electrophoretic patterns of urea-treated legumin fraction in Pisum. PNL 11:31. 1979.
- Przybylska, J., J. Mikolajczyk, and Z. Zimniak-Przybylska. Inheritance of electrophoretic protein patterns in Pisum sativum. PNL 5:39. 1973.
- Przybylska, J., M. Zenkteler, and Z. Zimniak-Przybylska. Electrophoretic patterns of esterases and peroxidases in developing seeds of Pisum. PNL 6:46. 1974.
- Quednau, H. D. The behavior of some pea mutants during the earliest stages of ontogenetic development. PNL 2:28. 1970.
- Quednau, H. U. The effect of some mutated genes on the early ontogenesis of Pisum. PNL 4:44. 1972.
- Quednau, H. D. and H. D. Klein. Statistical analysis of univalent frequency and univalent distribution. PNL 4:44-46. 1972.
- Quednau, H. U. and G. Wolff. Comparison of seed protein production among 7 Pisum mutants. PNL 10:67-68. 1978.
- Ram, J. A medium for the production of pea (Pisum sativum) callus. PNL 9:48. 1977.
- Rasche, A. (Herlt, M., H. J. Jacobsen, A. Rasche, and H. W. Ingensiep). Quantitative results of a screening experiment for estimating optimal conditions for callus induction in Pisum. PNL 10:20-22. 1978.

- Reid, J. B. (Wall, B., J. B. Reid, and I. C. Murfet). Differential response to cotyledon removal and vernalization in early varieties. PNL 6:50-51. 1974.
- Reid, J. B. The effect of vernalization of genotypes If e sn hr and If e_ sn_ Hr. PNL 10:69-71. 1978.
- Reid, J. B. (Bereznicki, W. C. and J. B. Reid). A gene controlling esterase production in Pisum. PNL 10:3-4. 1978.
- Reid, J. B. and I. C. Murfet. Effect of seed weight on flowering. PNL 6:44-45. 1974.
- Reid, J. B. and I. C. Murfet. Comparison of several early flowering varieties of Pisum. PNL 7:47-48. 1975.
- Reid, J. B. and I. C. Murfet. Flowering in Pisum: quantitative variation within line 53. PNL 8:50-52. 1976.
- Reid, J. B. and I. C. Murfet. The flowering node of lateral branches in peas. PNL 10:72-74. 1978.
- Richter, E. Sugar, starch and amylose content of hybrids between smooth and wrinkled peas. PNL 7:51. 1975.
- Richter, E. On the vegetative propagation of pea plants. PNL 9:49-50. 1977.
- Rosenstand, A. GA treatment of pea pods: Implications on intergeneric hybridization. PNL 10:75. 1978.
- Rosenstand, A. Effect of GA-treatment of unfertilized ovules of pea and GA-effect of developing alien pollen tubes. PNL 10:75-77. 1978.
- Sanders, C. (Muehlbauer, F. J. and C. Sanders). Mutagenic effects of sodium azide on peas. PNL 7:32-33. 1975.
- Saccardo, F. (Monti, L. M. and F. Saccardo). "Mosaic leaf" mutants in pea and their mixochimeric structure. PNL 1:15. 1969.
- Saccardo, F. Trisomic studies in peas: morphological and cytological identification of triplo-1. PNL 2:29. 1970.
- Saccardo, F. Morphological and cytological data of pea trisomies. PNL 3:36-37. 1971.
- Saccardo, F. Crosses among Pisum species. PNL 3:38. 1971.
- Saccardo, F. Behavior of a ring chromosome in Pisum. PNL 3:39-40. 1971.

Saccardo, F. (Monti, L. M. and F. Saccardo). Ovula-pistilloida (op) :
a mutation without sporogenous tissue induced in pea. PNL 3:28.
1971.

Saccardo, F. Involvement of the satellited chromosomes in the formation
of the dicentric chromosomes in peas. PNL 5:39. 1973.

Saccardo, F. and L. M. Monti. Isolation of trisomic plants in pea. PNL
1:18-19. 1969.

Saccardo, F. and L. M. Monti. Segregation analysis of variegated pea
mutants with dicentric chromosomes. PNL 2:30. 1970.

Saccardo, P. and L. M. Monti. Studies on the induction of dicentric chromo-
somes in peas. PNL 3:40-41. 1971.

Saccardo, F. and L. M. Monti. Genetical and cytogenetical studies of a
partial pea trisomic. PNL 5:40. 1975.

Scarascia-Mugnozza, G. T. (Monti, L. M. and G. T. Scarascia-Mugnozza).
The use of some induced and spontaneous traits of agronomic value in
pea breeding. PNL 1:16-17. 1969.

Sharma, B. Study of flowering time and flowering node in pea. PNL 2:31.
1970.

1

Sharma, B. Effect of mutations on flowering time and flowering node in
pea. PNL 2:32. 1970.

Sharma, B. "Tendrilled acacia", a new mutation controlling tendril forma-
tion in Pisum sativum. PNL 4:50. 1972.

Sharma, B. "Notched leaf", a new mutation controlling shape of leaflet
in Pisum sativum. PNL 4:53. 1972.

Sharma, B. Induction of a bipistillate mutation in Pisum sativum. PNL
4:54. 1972.

Sharma, B. "Triangular pod", a new mutation controlling pod shape and
size in Pisum sativum. PNL 4:55. 1972.

Sharma, B. Gene symbol for the mutation bipistillatum in Pisum sativum
(a correction). PNL 5:41. 1973.

Sharma, B. Induction of serpenti-form mutation in Pisum sativum. PNL
5:44-45. 1973.

Sharma, B. "Burnt leaf", a new mutation affecting leaf development in Pisum
sativum. PNL 5:46. 1973.

Sharma, B. "Cabbage leaf" and "leafy-flower" mutations in Pisum sativum. PNL 7:53. 1975.

Sharma, B. (Kumar, S. and B. Sharma). Circular stipule and hyper-tendrilled: two new induced mutations of Pisum. PNL 7:24-25. 1975.

Sharma, B. and K. V. Aravindan. Inductions of sativoid mutation in Pisum abyssinicum. PNL 3:49. 1971.

Sharma, B. and K. V. Aravindan. "Crumpled petal", a new mutation in Pisum sativum causing mechanical sterility. PNL 3:50-51. 1971.

Sharma, B. and K. V. Aravindan. Inheritance of the tac gene in Pisum sativum. PNL 4:51. 1972.

Sharma, B., K. V. Aravindan, S. K. Tikoo, and K. Kant. Supplementary evidence about the inheritance of the tac gene in Pisum sativum. PNL 4:52. 1972.

Sharma, B., H. C. Bansal, and K. V. Aravindan. Radiosensitivity of certain pea lines. PNL 2:33. 1970.

Sharma, B. and K. Kant. Inheritance of the sat mutation induced in Pisum abyssinicum. PNL 5:41. 1973.

pet
Sharma, B. and K. Kant. Status of the 11 gene in Pisum sativum. ; PNL 5:41-42. 1973.

Sharma, B. and K. Kant. Differential transfer of the tac gene through micro and megasporophores in Pisum sativum. PNL 5:42. 1973.

Sharma, B. and K. Kant. Inheritance of the tac gene and induction of lathyroides mutation in Pisum sativum. PNL 5:43. 1973.

Sharma, B. and K. Kant. Transmission of lathyroides mutation in Pisum sativum. PNL 5:43-44. 1973.

Sharma, B. and K. Kant. Inheritance of some newly induced waxless mutations in Pisum sativum. PNL 7:52. 1975.

Sharma, B. and A. K. Kaul. Variability for protein content created through induced mutations in Pisum sativum. PNL 4:56. 1972.

Sharma, B. and S. K. Tikoo. Protein value of sugar and non-sugar pea varieties at green pod stage. PNL 4:56-57. 1972.

Sharma, B., S. K. Tikoo, and A. K. Kaul. Estimation of quantity and quality of proteins in the dry seeds of non-sugar and sugar peas. PNL 4:57-58. 1972.

Shehata, M. A., D. W. Davis, and H. L. Bissonnette. New technique for evaluating resistance to common root rot of peas caused by Aphanomyces euteiches. PNL 7:54-56. 1975.

Sidorova, K. K. Induced pea mutant with creeping stem. PNL 7:57-58. 1975.

Sidorova, K. K. A study on natural and induced mutability in pea mutants. PNL 8:53-55. 1976.

Sidorova, K. K. S V. A. Bobodzhanov. Ecological studies of allelic pea mutants. PNL 9:52-53. 1977.

Sidorova, K. K., V. V. Khvostova, and L. P. Uzhintzeva. Induced pea mutants with modified vegetative period. PNL 6:47. 1974.

Sidorova, K. K. and L. P. Uzhintzeva. Induced pea mutants with curled leaves and stipules. PNL 7:56. 1975.

Sidorova, K. K. and L. P. Uzhintseva. Study of photoperiodic reaction in pea mutants. PNL 9:51-52. 1977.

Singh, K. B. and R. S. Malhotra. Heterosis for grain yield in interspecific crosses of Pisum. PNL 3:41-42. 1971.

Singh, K. B. and T. P. Singh. Combining ability in pea. PNL 2:34-35. 1970.

Singh, T. P. (Singh, K. B. and T. P. Singh). Combining ability in pea. PNL 2:34-35. 1970.

Slinkard, A. E. Identification of high protein pea lines. PNL 6:48. 1974.

Slinkard, A. E. Field pea research in Saskatchewan, Canada. PNL 7:4. 1975.

Slinkard, A. E., G. A. Murray and R. Auld. The Austrian winter field pea industry in Idaho. PNL 10:79. 1978.

Snoad, B. Neoplastic pods. PNL 1:19-20. 1969.

Snoad, B. (Matthews, P. and B. Snoad). A new allele at the D-locus. PNL 1:12-13. 1969.

Snoad, B. A progress report on the computer-based system for recording Pisum origins, genotypes, and phenotypes. PNL 3:42-43. 1971.

Snoad, B. Linkage between Af and I on chromosome 1. PNL 3:43. 1971.

Snoad, B. Diallel analysis in peas. PNL 3:43-44. 1971.

Snoad, B. Diallel analyses in peas. PNL 4:46-47. 1972.

Snooad, B. and A. E. Arthur. Genotype x environment interaction in peas - a preliminary report. PNL 5:47-48. 1973.

Statham, C. M. and I. C. Murfet. Inheritance of flavone production in Pisum flowers. PNL 6:49. 1974.

Statham, C. M. and I. C. Murfet. The flower color pale lilac. PNL 6:51. 1974.

Steinbruck, G. Carbohydrate leaching during the first three days of germination of Pisum sativum. PNL 8:56-57. 1976.

Steinbruck, G. Carbohydrate requirement for definite germination stages of some mutants in comparison to the initial line. PNL 9:54-55. 1977.

Steinbruck, G. A mutant with high starch content of unusual composition. PNL 9:56. 1977.

Swiecicki, W. K., Screening for estimating optimal doses of combined chemical and physical mutagens. PNL 11:33. 1979.

Thierfeldt, H. J. Genetic control of sugar content and distribution in the seeds of some pea mutants. PNL 4:47-49. 1972.

Tikoo, S. K. (Sharma, B., K. V. Aravindan, S. K. Tikoo, and K. Kant). Supplementary evidence about the inheritance of the tac gene in Pisum sativum. PNL 4:52. 1972.

Tikoo, S. K. (Sharma, B. and S. K. Tikoo). Protein value of sugar and non-sugar pea varieties at green pod stage. PNL 4:56-57. 1972.

Tikoo, S. K. (Sharma, B., S. K. Tikoo, and A. K. Kaul). Estimation of quantity and quality of proteins in the dry seeds of non-sugar and sugar peas. PNL 4:57-58. 1972.

Uzhintzeva, L. P. (Sidorova, K. K., V. V. Khvostova, and L. P. Uzhintzeva). Induced pea mutants with modified vegetative period. PNL 6:47. 1974.

Uzhintzeva, L. P. (Sidorova, K. K. and L. P. Uzhintzeva). Induced pea mutants with curled leaves and stipules. PNL 7:56. 1975.

Uzhintseva, L. P. (Sidorova, K. K. and L. P. Uzhintseva). Study of photoperiodic reaction **in** pea mutants. PNL 9:51-52. 1977.

Wall, B., J. B. Reid, and I. C. Murfet. Differential response to cotyledon removal and vernalization in early varieties. PNL 6:50-51. 1974.

Wellensiek, S. **J. The** localization of some **new** mutants. PNL 3:46. 1971.

- Wellensiek, S. J. The translocated cochleata linkages. PNL 3:46-47. 1971.
- Wellensiek, S. J. The translocation 5/7. PNL 3:47. 1971.
- Wellensiek, S. J. Wax genes, M or wsp? PNL 3:47-48. 1971.
- Wellensiek, S. J. Lamprecht's gene sin for stringless. PNL 3:48. 1971.
- Wellensiek, S. J. Multiple alleles for late, medium, and early flowering. PNL 4:59. 1972.
- Wellensiek, S. J. The localization of No_. PNL 4:60. 1972.
- Wellensiek, S. J. Gene Nf in chromosome 4? PNL 5:49. 1973.
- Wellensiek, S. J. From sterile to fertile pea mutants. PNL 6:54. 1974.
- Wellensiek, S. J. The flowering index. PNL 8:58. 1976.
- Wellensiek, S. J. and M. Keuls. A computer program for localizing mutant characteristics. PNL 3:44-45. 1971.
- Williams, A. E. The r gene: a regulator of phosphorylase? PNL 9:57. 1977.
- Williams, A. F. Amyloplast integrity and phosphorylase as influenced by the r and rb genes. PNL 10:78. 1978.
- Williams, A. F. Temperature dependent behavior of a chlorophyll mutant of peas. PNL 11:35. 1979.
- Williams, A. F. Some facts and thoughts about amyloplast enzyme compartmentation. PNL 11:36. 1979.
- Williams, A. F. (King, C. and A. F. Williams). Hybridization technique vs, success rate. PNL 11:19. 1979.
- Wolff, G. Influence of some amino acids on pollen tube growth. PNL 5:49-50. 1973.
- Wolff, G. Investigations on the pollen tube growth of Pisum mutants. PNL 5:50-51. 1973.
- Wolff, G. Relation between total nitrogen and non-protein nitrogen Lti Pisum sativum. PNL 6:52-53. 1974.
- Wolff, G. Free amino acids in the pollen of Pisum sativum. PNL 6:56-57. 1974.

- Wolff, G. (Gottschalk, W. and G. Wolff). The relations between seed size and protein content in Pisum mutants. PNL 6:18. 1974.
- Wolff, G. Seed protein content of Pisum mutants grown in India and Germany in 1973. PNL 7:59. 1975.
- Wolff, G. Relation between seed distribution in the pod, protein content, and thousand-kernel weight of Pisum sativum. PNL 7:60. 1975.
- Wolff, G. Distribution of seeds in the pods of Pisum sativum and of some of its mutants. PNL 7:61. 1975.
- Wolff, G. Investigations on the influence of the maternal plant on the development of pea seeds. PNL 9:58-59. 1977.
- Wolff, G. Banding patterns of albumins and amino acid composition of globulins of three Pisum taxa. PNL 9:60-61. 1977.
- Wolff, G. Electrophoretical investigations involving presumably identical genotypes. PNL 9:61-62. 1977.
- Wolff, G. (Quednau, H. D. and G. Wolff). Comparison of seed protein production among 7 Pisum mutants. PNL 10:67-68. 1978.
- Yates, H. and I. C. Murfet. The minimum flowering node for gene Lf J PNL 10:78. 1978.
- Zenktele, M. (Przybylska, J., M. Zenktele, and Z. Zimniak-Przybylska). Electrophoretic patterns of esterases and peroxidases in developing seeds of Pisum. PNL 6:46. 1974.
- Zimniak-Przybylska, Z. (Przybylska, J., J. Mikolajczyk, and Z. Zimniak-Przybylska). Inheritance of electrophoretic protein patterns in Pisum sativum. PNL 5:39. 1973.
- Zimniak-Przybylska, Z. and J. Przybylska. Relationships between electrophoretic protein patterns and zymograms of some enzymes in Pisum. PNL 6:55. 1974.
- Zimniak-Przybylska, Z. (Przybylska, J., M. Zenktele, and Z. Zimniak-Przybylska). Electrophoretic patterns of esterases and peroxidases in developing seeds of Pisum. PNL 6:46. 1974.
- Zimniak-Przybylska, Z. and J. Przybylska. Variability of electrophoretic patterns of seed amylases within the genus Pisum: A relationship between protein patterns and amylase zymograms. PNL 7:50. 1975.
- Zimniak-Przybylska, Z. and J. Przybylska. Interference of Pisum seed albumins with detecting amylase activity on electropherograms: an apparent relationship between protein patterns and amylase zymograms. PNL 8:59. 1976.

Zimniak-Przybylska, Z. (Przybylska, J., J. Hurich, and Z. Zimniak-Przybylska). Electrophoretic subunit patterns of seed globulins in different Pisum taxa. PNL 10:66-67. 1978.

Zimniak-Przybylska, Z. (Przybylska, J., J. Hurich and Z. Zimniak-Przybylska). Variation in electrophoretic patterns of urea-treated legumin fraction in Pisum. PNL 11:31. 1979.

Zobel, R. W. Root mutants in Pisum: An intended project. PNL 5:52. 1973.

Zobel, R. W. Root and nodule variability in peas. PNL 6:58-59. 1974.